

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1450 Alexandria, Virginia 22313-1450 www.wepto.gov

| APPLICATION NO.  | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|-------------|----------------------|---------------------|------------------|
| 10/563,548   | 06/08/2006  | Ray Won              | 100325.0207US       | 1494             |
| 24592 7590 12/14/2009<br>FISH & ASSOCIATES, PC<br>ROBERT D. FISH |             |                      | EXAMINER            |                  |
|  |             |                      | WU, IVES J          |                  |
| 2603 Main Str<br>Suite 1000                                      | eet         |                      | ART UNIT            | PAPER NUMBER     |
| Irvine, CA 92614-6232  |             |                      | 1797                |                  |
|  |             |                      |                     |                  |
|  |             |                      | MAIL DATE           | DELIVERY MODE    |
|  |             |                      | 12/14/2009          | PAPER            |

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

### Supplemental Notice of Allowability

| Application No. | Applicant(s) |  |
|-----------------|--------------|--|
| 10/563,548      | WON, RAY     |  |
| Examiner        | Art Unit     |  |
| IVES WIT        | 1797         |  |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable. PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative

of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. This communication is responsive to 8/11/2009. The allowed claim(s) is/are 1-3,6-11 and 14-21. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)  $\square$  All b) ☐ Some\* c) ☐ None of the: 1. T Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). \* Certified copies not received: \_\_\_\_\_. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. 

DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. | Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) Interview Summary (PTO-413), Paper No./Mail Date Information Disclosure Statements (PTO/SB/08). 7. X Examiner's Amendment/Comment Paper No./Mail Date 4. T Examiner's Comment Regarding Requirement for Deposit 8. X Examiner's Statement of Reasons for Allowance of Biological Material Other .

Page 2

Application/Control Number: 10/563,548

Art Unit: 1797

#### EXAMINER'S AMENDMENT

(1). An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

14. The gas treatment plant of claim 8 [13] wherein the regenerator is configured such that carbon dioxide in the atmospheric flash gas strips hydrogen sulfide from the flashed rich solvent, and that the at least portion of the sweet gas strips the carbon dioxide from the flashed rich solvent.

### Allowable Subject Matter

(2). Claims 1-3, 6-11 and 14-21 allowed.

#### Reasons for Allowance

(3). The following is an examiner's statement of reasons for allowance:

Instant Application is in condition of Allowance by following particulars: (1) wherein the vacuum stripper separately receives as a **atmospheric stripping gas** and a sweet gas produced by the absorber and atmospheric flash gas from the flash vessel – Amended independent claims 1,8 and original independent claim 15; (2) wherein the contact vessel comprises a **static mixer** and wherein the contact vessel is fluidly coupled to a flash vessel - new independent claim 21. Because these amendments are considered not only to obviate the rejections raised in the Office Action based on closest prior arts Gaskin (US 20040003717A1), Carnell et al (US 6139605A), but also to define novel matters because closest prior art Gaskin (US 20040003717A1) does not teach the two stripping gases separately from flash vessel and sweet gas from absorber, closest prior art Carnell et al (US 6139605A) teach two stripping gas to the stripper, one is sweet gas from the absorber, the other one is external steam, not from the flash vessel as claimed by Applicant. Closest prior art Mak (US 20050172807A1) teaches two stripping gas (high pressure

Application/Control Number: 10/563,548 Page 3

Art Unit: 1797

flash vessel, medium pressure flash vessel) to the vacuum stripper, however, both are above atmospheric pressure. Furthermore, neither prior arts mentioned herein above includes a static mixer with absorber for the contact stage. It is therefore concluded that claims 1-3, 6-11 and 14-21 are deemed allowable and passed to issue as of Date of this Allowability Notice.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to IVES WU whose telephone number is (571)272-4245. The examiner can normally be reached on 8:00 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on 571-272-1166. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Examiner: Ives Wu Art Unit: 1797 Date: December 10, 2009

> /Duane Smith/ Supervisory Patent Examiner, Art Unit 1797